ICT equimpment Quotation for the year 2016-2017

sl i	tems		T		
	RJ 45				
-	/GA cables		*		
_	CAT 6 cables				
_					
	External CD/DVD ROM (Sony)				
_	Thumb drive 2 GB (hp)				
	Thumb drive 4 GB (trascend)				
_	Thumb drive 8 GB (trascend)				
	Hard Disk (WD elements HD) 1TB				
_	Hard Disk (Toshiba) 1TB				
_	18 port cisco managed switch which supports PoE				
_	O-Link 8 port switch				
_	D-Link 5 port switch				
_	Mouse (Dell-M-111 USB Mouse Black) Laser				
_	Keyboard (Dell KB212 USB Keyboard)				
_	Power adapter for unifi APs or ubiquiti products				
	Network cable tester				
_	Network cable tester battery (Everyday Duty Battery)				
18 /	AC/DC Universal Inverter Converter(110V to 220V)				
19 5	Screw Driver Sets (Jackly 32 in 1)				
20 (JSB-VGA Display Adapter				
21 5	Speakers (Dell AX210CR USB Stereo Speakers)				
22 H	Hikvision CCTV Camera				
23 H	Hikvision DS-7100 Series H.264/Linux Embedded DVR				
24 1	000Base-TX SFP, Copper,100m, Rj45, Cisco				
25 1	1000Base-LX SFP SMF, 1310nm, 10km, LC, Cisco				1974
26 (GLC-T Cisco 1000BASE-T SFP Transceiver Module				
27 L	C/LC 9/125 Singlemode Duplex Fiber Patch Cable 5 Meter				
_	.C/SC Singlemode, Duplex Fiber Optic Patch Cable 5 Meter	3 36			
	Fiber Optic patch panel 12 ports				
_	Network Adapter 10/ 100/ 1000Mbps PCI-Express RJ45		Secretaria.		
_	6 GB RAM for IBM System x3630 M4 server		THE P		
_	GB RAM for IBM System x3630 M4 server				
_	Cat 6 patch cables booted, 7FT yellow			9/9/	
_	Cat 6 patch cables booted, 7FT purple				
	Cat 6 patch cables booted, 2FT red				
	Cat 6 patch cables booted, 1FT blue				
_	Switch 48 port Rack				
_	Cat 6 patch panel 48 port switch		Total Control		
_	Disco console cable, Serial cable				
_	/GA to HDMI Converter				
_	isco Systems (AIR-LAP1131AG-A-K9)				
	Fluke Networks pro3000 tone generator and probe kit (A tone generator and amplifier wand for locating cables)				
_	sennheiser hd 203 headphones				
_	neadphones b4b09pa				
_	ack mount power strips				
40 F	Power Supply Unit for Dell optilex				



47 F	Processor (CPU) Dell optilex			
48 5	Sound Card for Dell optilex			
49 \	Video Card for Dell optilex			
50 0	Cp1025 hp color laserjet cartridges			
51 I	DM Software 2016-17			
52 A	Antivirus 2016-17 Kaspersky (80 users)			
53 A	Antivirus 2016-17 Bitdefender (80 users)			
54 A	Antivirus 2016-17 ESET (80 users)	TWO STORY COLD	and the second	
55 A	Antivirus 2016-17 Quick Heal (80 users)			
56 N	Maintenance of Servers IBM, HP			
57 N	Maintenance of Desktops Dell			
58 N	Maintenance of Printers HP, Nashuatec, HP and Brothers			
59 F	Projector Panasonic (See Annexure 1B)			
60 F	Projector EPSON (See Annexure 1B)			
61 F	Projector SONY (See Annexure 1B)		Oraca Remail and	Bra As
62 F	Projector Acer (See Annexure 1B)			
63 F	Projector Sharp (See Annexure 1B)			
64 P	Projector Infocus (See Annexure 1B)			
65 L	Ininterruptible power supply (UPS) (See Annexure 1A)			



Annexure 1A

Specifications

Emersion / Schneider or their equivalent

SL	DETAILS	QTY
UPS, 20	kVA, 415 V AC, 50 Hz or higher	
1	UPS, Liebert Super 420D 20 kVA UPS or equivalent	1
2	Company approved MAKE: make 12 V 200AH Exide batteries or equivalent (approximately 5 – 6 hours backup on 10 kVA load)	Qty should support the mentioned details
3	Battery Rack, Connectors and its accessories	1
4	Power breaker for incoming and outgoing power from main power source and UPS	E
5	All installation including power cable connections (power works for the readiness for UPS) and commissioning of the UPS	1
6	16 mm power Cable (for power setup from main source and UPS and to Load) Bidders are encouraged to price it unit wise (per meter cost))	150 meters
7	1 LAN port and 1 serial port for the maintenance to be connected to servers to support Network UPS Tool (it should be open source) to support Linux platform and should work with Linux server at Project Site. (if this required specification as mentioned in sl.no 8, bidders are requested to	
8	include price separately) Any license for the monitoring should be included separately if any (it is optional but mandatory to be included in the price schedule)	1
7	Warranty period	2 Years



Annexure 1B

Projector 1 (Conference Hall)

OPTICAL	
Screen Size	120" (Zoom:Wide)
	72" (Zoom:Tele)
Projection Distance	2.5m
throw ratio (short throw)	2:2 (8 foot wide image at 8 foot from
	the screen)
Focus Method	Manual Focus
IMAGE	
Colour Light Output	3000 lumens
White Light Output	3000 lumens
Resolutions	WXGA (1280 x 800)
Contrast Ratio	20,000:1
Lamp Hours	Normal: 6,000 Hours / Eco: 8,000 Hours
CONNECTIVITY	
Input: USB Memory Device	1 x USB 2.0 type A
Input: USB Memory Device Input: Digital	HDMI 10m
Input: USB Memory Device Input: Digital Input: Audio	HDMI 10m 1 x RCA (Red/White), 1 x HDMI 15m
Input: USB Memory Device Input: Digital Input: Audio Input: Control	HDMI 10m 1 x RCA (Red/White), 1 x HDMI 15m 1 x USB 2.0 type B
Input: USB Memory Device Input: Digital Input: Audio Input: Control Wireless Connectivity Included	HDMI 10m 1 x RCA (Red/White), 1 x HDMI 15m 1 x USB 2.0 type B Yes
Input: USB Memory Device Input: Digital Input: Audio Input: Control Wireless Connectivity Included Ethernet Port	HDMI 10m 1 x RCA (Red/White), 1 x HDMI 15m 1 x USB 2.0 type B Yes Yes
Input: USB Memory Device Input: Digital Input: Audio Input: Control Wireless Connectivity Included Ethernet Port Speaker	HDMI 10m 1 x RCA (Red/White), 1 x HDMI 15m 1 x USB 2.0 type B Yes Yes 5w
Input: USB Memory Device Input: Digital Input: Audio Input: Control Wireless Connectivity Included Ethernet Port Speaker Network & Control	HDMI 10m 1 x RCA (Red/White), 1 x HDMI 15m 1 x USB 2.0 type B Yes Yes 5w Yes (with Wireless LAN Unit)
Input: USB Memory Device Input: Digital Input: Audio Input: Control Wireless Connectivity Included Ethernet Port Speaker	HDMI 10m 1 x RCA (Red/White), 1 x HDMI 15m 1 x USB 2.0 type B Yes Yes 5w
Input: USB Memory Device Input: Digital Input: Audio Input: Control Wireless Connectivity Included Ethernet Port Speaker Network & Control	HDMI 10m 1 x RCA (Red/White), 1 x HDMI 15m 1 x USB 2.0 type B Yes Yes Yes 5w Yes (with Wireless LAN Unit) Yes (with Wireless LAN Unit) Yes
Input: USB Memory Device Input: Digital Input: Audio Input: Control Wireless Connectivity Included Ethernet Port Speaker Network & Control Network Projection	HDMI 10m 1 x RCA (Red/White), 1 x HDMI 15m 1 x USB 2.0 type B Yes Yes Yes 5w Yes (with Wireless LAN Unit) Yes (with Wireless LAN Unit)
Input: USB Memory Device Input: Digital Input: Audio Input: Control Wireless Connectivity Included Ethernet Port Speaker Network & Control Network Projection PC Free Presentations	HDMI 10m 1 x RCA (Red/White), 1 x HDMI 15m 1 x USB 2.0 type B Yes Yes Yes 5w Yes (with Wireless LAN Unit) Yes (with Wireless LAN Unit) Yes
Input: USB Memory Device Input: Digital Input: Audio Input: Control Wireless Connectivity Included Ethernet Port Speaker Network & Control Network Projection PC Free Presentations USB Plug 'n Play	HDMI 10m 1 x RCA (Red/White), 1 x HDMI 15m 1 x USB 2.0 type B Yes Yes Yes 5w Yes (with Wireless LAN Unit) Yes (with Wireless LAN Unit) Yes



Projector 2 (Lecture Theater)

OPTICAL	
Screen Size	120" (Zoom:Wide)
	84" (Zoom:Tele)
Projection Distance	5m
throw ratio(long throw)	4:2.5 (10 foot wide image at 15 foot
	from the screen)
Focus Method	Manual Focus
IMAGE	
Colour Light Output	4000 lumens
White Light Output	4000 lumens
Resolutions	WXGA (1280 x 800)
Contrast Ratio	30,000:1
Contrast Ratio	30,000.1
Lamp Hours	Normal: 7,000 Hours / Eco: 9,000 Hours
CONNECTIVITY	
CONNECTIVITY Input: USB Memory Device	1 x USB 2.0 type A
	HDMI 15m
Input: USB Memory Device	HDMI 15m 1 x RCA (Red/White), 1 x HDMI 15m
Input: USB Memory Device Input: Digital	
Input: USB Memory Device Input: Digital Input: Audio	HDMI 15m 1 x RCA (Red/White), 1 x HDMI 15m
Input: USB Memory Device Input: Digital Input: Audio Input: Control	HDMI 15m 1 x RCA (Red/White), 1 x HDMI 15m 1 x USB 2.0 type B
Input: USB Memory Device Input: Digital Input: Audio Input: Control Wireless Connectivity Included	HDMI 15m 1 x RCA (Red/White), 1 x HDMI 15m 1 x USB 2.0 type B Yes
Input: USB Memory Device Input: Digital Input: Audio Input: Control Wireless Connectivity Included Ethernet Port	HDMI 15m 1 x RCA (Red/White), 1 x HDMI 15m 1 x USB 2.0 type B Yes Yes
Input: USB Memory Device Input: Digital Input: Audio Input: Control Wireless Connectivity Included Ethernet Port Speaker Network & Control	HDMI 15m 1 x RCA (Red/White), 1 x HDMI 15m 1 x USB 2.0 type B Yes Yes 7w
Input: USB Memory Device Input: Digital Input: Audio Input: Control Wireless Connectivity Included Ethernet Port Speaker	HDMI 15m 1 x RCA (Red/White), 1 x HDMI 15m 1 x USB 2.0 type B Yes Yes 7w Yes (with Wireless LAN Unit)
Input: USB Memory Device Input: Digital Input: Audio Input: Control Wireless Connectivity Included Ethernet Port Speaker Network & Control Network Projection	HDMI 15m 1 x RCA (Red/White), 1 x HDMI 15m 1 x USB 2.0 type B Yes Yes Yes Yes (with Wireless LAN Unit) Yes (with Wireless LAN Unit)
Input: USB Memory Device Input: Digital Input: Audio Input: Control Wireless Connectivity Included Ethernet Port Speaker Network & Control Network Projection PC Free Presentations USB Plug 'n Play	HDMI 15m 1 x RCA (Red/White), 1 x HDMI 15m 1 x USB 2.0 type B Yes Yes Yes 7w Yes (with Wireless LAN Unit) Yes (with Wireless LAN Unit) Yes
Input: USB Memory Device Input: Digital Input: Audio Input: Control Wireless Connectivity Included Ethernet Port Speaker Network & Control Network Projection PC Free Presentations USB Plug 'n Play GENERAL	HDMI 15m 1 x RCA (Red/White), 1 x HDMI 15m 1 x USB 2.0 type B Yes Yes Yes 7w Yes (with Wireless LAN Unit) Yes (with Wireless LAN Unit) Yes Yes
Input: USB Memory Device Input: Digital Input: Audio Input: Control Wireless Connectivity Included Ethernet Port Speaker Network & Control Network Projection PC Free Presentations USB Plug 'n Play	HDMI 15m 1 x RCA (Red/White), 1 x HDMI 15m 1 x USB 2.0 type B Yes Yes Yes 7w Yes (with Wireless LAN Unit) Yes (with Wireless LAN Unit) Yes

